



PETER PEPPER PRODUCTS
EXPRESSIVE ESSENTIALS™

PRICE LIST & SPECIFICATIONS

Effective September 1, 2022

All Prices are Suggested List Price

Updated 08.01.24

Section 10

VISUAL COMMUNICATION

COLLECTION

Tactics® & Tactics Plus® Writing Surfaces

Porcelain & Glass

Tackable Panels

Combination Bulletin/Tack Boards

Message Centers

PepperMint® & MiniMint®

osbpd


OSHPD Seismic Compliant
Anchorage in California



MiniMint® Wall Mounted Combination Units

- Model MM-CW • Open Frame
 Model MM-CW-GL • Glass Enclosed

			Standard Natural Cork		Optional Add for Each Panel			MM-CW-GL Only		
Size W	H	No. of Panels	MM-CW	MM-CW-GL	Writing Surface	Fabric or COM	ColorCork	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
			36	36	2	\$ 1,577	\$ 2,476	\$ 229	\$ 166	\$ 216
48	36	2	1,764	2,757	247	174	233	176	227	83*
48	48	2	2,018	3,176	284	210	268	202	251	107*
60	36	2	1,944	3,085	262	191	247	194	248	104*
60	48	2	2,503	3,495	284	207	268	250	281	134*
72	36	2	2,227	3,958	332	242	313	223	269	127*
72	48	2	2,550	4,802	381	280	359	255	306	163*
96	48	3	3,248	6,094	416	301	392	325	356	212*



RGPH4

Options

- 5790** Tools: 12 Dry Erase markers, Eraser, Board cleaner 129
RGPH4 Marker and eraser holder. 10" w x 2 3/4" h x 2" d 50
 Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included

Shipped by Truck*

To Order Specify

- Quantity
- Model
- Frame Finish Code. Upcharge for PPP Color
- Size: W x H
- Panel Group: 1, 3 or 4
 Note: List Panel Widths & Type, Left-to-Right
 (See ordering examples, opposite page)
- Standard Panel:** Natural Cork
- Optional Panels:** Writing Surface - White, ColorCork, Fabric Selection or COM
- Add NET Crating Charge** MM-CW-GL only
- Options**

- Frame Finishes**
RA Natural Anodized Aluminum
RC PPP Color - Upcharge
- ColorCork**
 2186
 2187
 2209

- Fabric Selection - see page 158**
 Guilford of Maine
 Sprite Style 2671
 Lido Style 2858
 Crosstown Style 2526
 COM: Customer's Own Material
 Page 126 for shipping information

See PPP Color Card or Web

Specifications

- MM-CW:** Quarter round mini-profile, open frame.
- MM-CW-GL:** Semi-circular mini profile frame with sliding, lockable, tempered glass doors. Door locks included.
 For polycarbonate sliding doors, add 15% upcharge.
- Any combination of Standard or Optional Panels may be ordered.

Standard Panel

- Natural Cork**

Optional Panels with Upcharge

- Writing Surface Panels:** White.
 Porcelain enamel writing surface fused to 28 gauge steel. Full width pen rail, 4 dry erase markers and eraser included.
- ColorCork:** For specifications, see page 126.
- Fabric** covered tackboard.
- COM:** Tackboard covered in Customer's Own Material. For COM instructions, see page 126.
- Wall mounting cleat/bracket and hardware included.



MiniMint® Wall Mounted Combination Units


- Model MM-CW • Open Frame
 Model MM-CW-GL • Glass Enclosed

			Panel Configurations			
Size W	H	No. of Panels	Glass Door Type	Panel Group 1 Panel Widths 2 Panels	Panel Group 3 Panel Widths 3 Panels	Panel Group 4 Panel Widths 3 Panels
36	36	2	1 Set Sliding	18 • 18		
48	36	2	1 Set Sliding	24 • 24		
48	48	2	1 Set Sliding	24 • 24		
60	36	2	1 Set Sliding	30 • 30		
60	48	2	1 Set Sliding	30 • 30		
72	36	2	2 Sets Sliding	36 • 36		
72	48	2	2 Sets Sliding	36 • 36		
96	48	3	3 Sets Sliding		24 • 48 • 24	32 • 32 • 32

Ordering Example for Panel Configurations

MM-CW (Open Frame)

96" w x 48" h Panel Group 3 3 Panels



Writing Surface Panel with Pen Rail Illustrated

- Left Panel - 24" Cork
- Center Panel - 48" Writing Surface Panel
- Right Panel - 24" Cork


Specify panel widths and type, left-to-right



MM-CW
Quarter Round Frame


MM-CW-GL (Glass Enclosed)

72" w x 36" h Panel Group 1 2 Panels with 2 sets of sliding glass doors



- Left Panel - 36" Fabric Panel
- Right Panel - 36" Fabric Panel

Specify panel widths and type, left-to-right




MM-CW-GL
Semi-Circular Frame

© 9/2022



MiniMint® Wall Mounted Bulletin/Tack Boards

Model MMD-2 • Glass Enclosed



MMD-2



MMD-2
Semi-Circular Frame

Size W H	Natural Cork	ColorCork Panel	Fabric or COM	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
Model MMD-2 <i>(For larger sizes of MMD-2, see MM-CW-GL, page 113)</i>						
24 24	\$ 1,407	\$ 1,999	\$ 1,537	\$ 141	\$ 130	36*
24 30	1,534	2,180	1,675	153	147	44*
24 36	1,663	2,377	1,823	166	156	52*
36 24	1,663	2,377	1,823	166	156	52*
36 30	1,842	2,620	2,014	184	175	64*
36 36	2,004	2,851	2,195	200	191	75*
36 48	2,333	3,323	2,551	233	215	98*
48 24	1,959	2,790	2,145	196	183	68*
48 30	2,158	3,072	2,361	216	198	83*
48 36	2,333	3,323	2,551	233	218	98*
48 42	2,556	3,626	2,792	256	239	113*
48 48	2,746	3,906	3,007	275	251	128*

Shipped by Truck*

To Order Specify

- Quantity
- Model
- Frame Finish Code. Upcharge for PPP Color
- Size: W x H
- Panel: Natural Cork
ColorCork
Fabric Selection
COM (Customer's Own Material)
- Add NET Crating Charge**

Frame Finishes
RA Natural Anodized Aluminum
RC PPP Color - Upcharge
ColorCork
 2186
 2187
 2209

Fabric Selection - see page 126
 Guilford of Maine
 Sprite Style 2671
 Lido Style 2858
 Crosstown Style 2526
 COM: Customer's Own Material
Page 126 for shipping information

See PPP Color Card or Web


Specifications

- MMD-2: OD: 2", ID: 7/16".
- Sliding, lockable, tempered glass doors. Door locks included. For polycarbonate sliding doors, add 15% upcharge.
- Back panel in Natural Cork, ColorCork, Fabric or COM tackable panel.
For ColorCork specifications, see page 126.
- Wall mounting cleat/bracket and hardware included.



Wood Framed, Wall Mounted Bulletin/Tackboards

Model WB-CW-GL Combination Panels • Glass Enclosed



WB-CW-GL


ID: 1¹/₁₆" on all models

Size W	H	Sliding Door Sets	Natural Cork Panel	ColorCork Panel	Fabric or COM Panel	NET Crating Charge	Est. Ship Wt.
Model WB-CW-GL							
36	24	1	\$ 1,807	\$ 2,103	\$ 1,989	\$ 147	45*
36	36	1	1,867	2,351	2,055	180	64*
48	36	1	2,327	3,026	2,557	206	83*
48	48	1	2,397	3,113	2,635	237	107*
60	36	1	2,484	3,229	2,731	234	104*
60	48	1	2,637	3,426	2,898	265	134*
72	36	2	2,985	3,880	3,283	254	127*
72	48	2	3,622	4,712	3,986	289	163*
84	36	2	3,772	4,904	4,154	273	145*
84	48	2	4,332	5,630	4,763	313	187*
96	36	2	4,005	5,205	4,404	293	164*
96	48	2	4,600	5,980	5,062	336	212*


For combination panels, use highest Panel Price column.

Shipped by Truck*

Wood Frame Styles



(R) Radius



(L) Linear

To Order Specify

1. Quantity	Frame Finishes	ColorCork	Fabric Selection - see page 126
2. Model: WB-CW-GL	CH Cherry	2186	Guilford of Maine
3. Size: W x H	LC Light Cherry	2187	Sprite Style 2671
4. Frame Style: R (Radius) or L (Linear)	HO Honey	2209	Lido Style 2858
5. Frame: Wood Finish	MA Natural Maple		Crosstown Style 2526
6. Panel: Natural Cork	MM Mahogany		COM: Customer's Own Material
ColorCork	LW Light Walnut		Page 126 for shipping information
Fabric Selection	W Walnut		
COM (Customer's Own Material)			
7. Add NET Crating Charge			

See PPP Color Card or Web

Specifications

- WB-CW-GL Frame styles: R (Radius) or L (Linear). OD 2¹/₂". ID 1¹/₁₆".
- Single or Combination Panels: Any combination of panels in equal widths may be ordered. For combination panels, use highest Panel Price column.
- Back panel in Natural Cork, ColorCork, Fabric or COM tackable panel.
For ColorCork specifications, see page 126.
- Sliding, lockable, tempered glass doors. Door locks included. For polycarbonate sliding doors, add 15% upcharge.
- Wall mounting cleat/bracket and hardware included.




Magnetic Glass Writing Surface


Model GB • Non-Magnetic

Model GBX • Magnetic


Concealed or Standoff Mount



Concealed Mount
Full width pen rail



Standoff Mount
Pen rail 12" less than full width




Standoff Detail



GB-MAG



5790



RGP4

Size W	H	Description	Model GB Non-Magnetic Glass List	Model GBX Magnetic Glass List	Upcharge Standoff Mount	Est. Ship Wt.
24	36	Magnetic Glass Writing Surface	NOT AVAILABLE	\$ 711	\$ 228	30 [▲]
36	24	Magnetic Glass Writing Surface		711	228	30 [▲]
36	48	Magnetic Glass Writing Surface		1,318	228	63 *
48	36	Magnetic Glass Writing Surface		1,318	228	63 *
72	48	Magnetic Glass Writing Surface		2,301	342	121 *
96	48	Magnetic Glass Writing Surface		3,113	456	161 *
		Options				
		GBMAG Additional Rare Earth Magnets, Set of 5			\$ 36	1
		5790 Tools: 12 Dry Erase markers, Eraser, Board cleaner			129	2
		RGP4 Marker and eraser holder. 10" w x 2 3/4" h x 2" d. Holds four markers and one			50	
		eraser, not included. Attaches to glass or wall, double-sided tape included.				

▲ UPS Dimensional Weight Shipped by Truck*

To Order Specify

- | | |
|---------------|----------------------------|
| 1. Quantity | Mount Type |
| 2. Model | Concealed |
| 3. Size | Standoff – Upcharge |
| 4. Mount Type | |
| 5. Options | |

Specifications


- Model GB: Clear Glass: Tempered non-magnetic glass surface, 1/4" thick with flat polished edges. Green tint appearance.
- Model GBX: Starphire® tempered magnetic glass surface, back coated white, 1/4" thick with flat polished edges. Low iron content produces clear edges and crystal-clear appearance.
- Corners have a 1/4" radius with pencil polished edges.
- Concealed Mount: Wall cleat/bracket and hardware included.
- Magnetic Boards include 5 Rare Earth Magnets.
- Standoff Mount: 1" dia. x 1 1/4" d aluminum standoffs mount to wall. Glass is inserted into notch and tightened with set-screw. Aluminum disc conceals fasteners. Upcharge
24" - 48" wide 4 Standoffs Included
72" wide 6 Standoffs Included
96" wide 8 Standoffs Included
- Pen Rail: Natural Anodized Aluminum extrusion mounts to lower edge of glass marker board. Includes 4 dry erase markers and eraser. Concealed Mount surfaces include a full length pen rail. Stand-Off Mount includes a pen rail measuring 12" less than full width of the writing surface.
- Model GBX boards do not comply with the Trade Agreements Act (TAA) and are not available for GSA contract purchases.

Portions of this product line are temporarily unavailable.
Please contact customerservice@peterpepper.com to explore alternatives.



MiniMint® Writing Surface

Model MM-LMB




MM-LMB
Open Frame, 1" Depth

Custom silk screen graphics are available on writing surface. Please submit your requirements.



5790



RGPH4



Mini-Aluminum
Quarter Round

MiniMint® Writing Surface - Model MM-LMB

Size W	H	Description	List	Upcharge PPP Color Frame	Est. Ship Wt.
24	24	Writing Surface	\$ 1,089	\$ 109	22 [▲]
36	24	Writing Surface	1,259	126	28 [▲]
36	36	"	1,499	150	35 [▲]
48	36	Writing Surface	1,772	177	46 [*]
60	48	Writing Surface	2,667	267	67 [*]
72	36	Writing Surface	2,420	242	63 [*]
72	48	"	2,796	280	78 [*]
96	48	Writing Surface	3,407	341	101 [*]

Options

5790	Tools: 12 Dry Erase markers, Eraser, Board cleaner	129
RGPH4	Marker and eraser holder. 10" w x 2 3/4" h x 2" d. Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included	50

▲ UPS Dimensional Weight Shipped by Truck*

To Order Specify

1. Quantity
2. Model
3. Frame Finish Code. Upcharge for PPP Color
4. Size: W x H
5. Options

Frame Finishes

- RA** Natural Anodized Aluminum
RC PPP Color - Upcharge

See PPP Color Card

Specifications

- White porcelain enamel writing surface fused to 28 gauge steel. Writing surface accepts magnetic accessories.
- Includes full length pen rail, 4 dry erase markers and eraser. Natural Anodized Aluminum.
- Wall mounting cleat/bracket and hardware included.






TACTICS PLUS®

Writing Surface

Wall Mounted or Panel Systems



WS7248

Custom silk screen graphics are available on writing surface. Please submit your requirements.



WS4836
Corner Detail

Model	Description	Size	White Porcelain	Est. Ship Wt.
WS2430	Writing Surface	24w x 30h x ¾d	\$ 480	19 [▲]
WS2436	Writing Surface	24w x 36h x ¾d	489	22 [▲]
WS3036	Writing Surface	30w x 36h x ¾d	559	27 [▲]
WS3624	Writing Surface	36w x 24h x ¾d	489	22 [▲]
WS3636	Writing Surface	36w x 36h x ¾d	626	31 [▲]
WS4824	Writing Surface	48w x 24h x ¾d	571	31 *
WS4836	Writing Surface	48w x 36h x ¾d	712	41 *
WS4848	Writing Surface	48w x 48h x ¾d	861	53 *
WS6048	Writing Surface	60w x 48h x ¾d	1,008	68 *
WS7248	Writing Surface	72w x 48h x ¾d	1,180	78 *
WS9648	Writing Surface	96w x 48h x ¾d	1,384	103 *
WS12048	Writing Surface 2 panels with center divider, fully assembled.	120w x 48h x ¾d	1,976	134 *

▲ UPS Dimensional Weight Shipped by Truck*
Board sizes are nominal. Contact factory for exact sizes/profile.

To Order Specify

1. Quantity
2. Model

Specifications

- Aluminum frames finished in Natural Anodized Aluminum.
- White porcelain enamel writing surface fused to 28 gauge steel. Writing surface accepts magnetic accessories.
- Includes 12" Aluminum pen rail, 4 dry erase markers and eraser.
- Wall mounting cleat/bracket and hardware included.






TACTICS PLUS®

Fabric Tackable Panel & Combination Board - Tackable & Writing Surface


Wall Mounted or Panel Systems



TF4836



Corner Detail



CB3636

Custom silk screen graphics are available on writing surface. Please submit your requirements.

Fabric Tackable Panel			Fabric Covered Panels	Est. Ship Wt.
Model	Description	Size		
TF1824	Fabric Tackable Panel	18w x 24h x ¾d	\$ 391	7
TF2418	Fabric Tackable Panel	24w x 18h x ¾d	391	7
TF2424	Fabric Tackable Panel	24w x 24h x ¾d	400	9 [▲]
TF2436	Fabric Tackable Panel	24w x 36h x ¾d	461	11 [▲]
TF3624	Fabric Tackable Panel	36w x 24h x ¾d	461	11 [▲]
TF3636	Fabric Tackable Panel	36w x 36h x ¾d	591	15 [▲]
TF4824	Fabric Tackable Panel	48w x 24h x ¾d	539	20*
TF4836	Fabric Tackable Panel	48w x 36h x ¾d	672	26*
TF4848	Fabric Tackable Panel (Wall Mounted Only)	48w x 48h x ¾d	812	31*
TF7248	Fabric Tackable Panel (Wall Mounted Only)	72w x 48h x ¾d	1,113	66*
TF9648	Fabric Tackable Panel (Wall Mounted Only)	96w x 48h x ¾d	1,306	89*

Combination Board					Natural Cork with White Porcelain	Fabric or COM	Est. Ship Wt.
Model	Description	Size	Panel Widths L R				
CB3030	Combination Board	30w x 30h x ¾d	15	15	\$ 741	\$ 813	19 [▲]
CB3624	Combination Board	36w x 24h x ¾d	18	18	719	791	17 [▲]
CB3630	Combination Board	36w x 30h x ¾d	18	18	777	849	21 [▲]
CB3636	Combination Board	36w x 36h x ¾d	18	18	833	905	24 [▲]
CB4824	Combination Board	48w x 24h x ¾d	24	24	811	916	24*
CB4830	Combination Board	48w x 30h x ¾d	24	24	856	961	28*
CB4836	Combination Board	48w x 36h x ¾d	24	24	894	1,000	31*
CB4848	Combination Board (Wall Mount Only)	48w x 48h x ¾d	24	24	1,112	1,253	40*
CB7248	Combination Board (Wall Mount Only)	72w x 48h x ¾d	36	36	1,557	1,771	59*
CB9648	Combination Board (Wall Mount Only)	96w x 48h x ¾d	48	48	1,928	2,193	77*

▲ UPS Dimensional Weight Shipped by Truck*
Board sizes are nominal. Contact factory for exact sizes/profile.

To Order Specify

- Quantity
- Model
- TF Models: Fabric Selection
- CB Models: Tackable Panel: Natural Cork, Fabric or COM - Fabric or COM Upcharge

Fabric Selection - see page 126

Guilford of Maine
Sprite Style 2671
Lido Style 2858
Crosstown Style 2526
COM: Customer's Own Material
Page 126 for shipping information

See PPP Color Card or Web

Specifications


- Wall mounting cleat/bracket and hardware included.
 - Aluminum frame finished in Natural Anodized Aluminum.
- TF Models:**
- Fabric or COM laminated to lightweight tackable core.
- CB Models:**
- Porcelain enamel writing surface fused to 28 gauge steel. Writing surface accepts magnetic accessories.
 - Includes 12" Aluminum pen rail, 4 dry erase markers and eraser.
 - Combination Boards have natural cork or fabric tackable panel on left side.
- For accessories, see pages 124 & 125.






TACTICS® Communication Boards

Writing Surface • Fabric • Natural Cork




Writing Surface

Custom silk screen graphics are available on writing surface. Please submit your requirements.



Fabric Tackable or COM Panel



Natural Cork Tackable Panel

Model	Size	Profiles 5, 7		Profiles 8, 9			
		List	Est. Ship Wt.	List	Est. Ship Wt.		
Writing Surface							
TC2436	24w x 36h	\$ 559	22 [▲]	\$ 643	25 [▲]		
TC3624	36w x 24h	559	22 [▲]	643	25 [▲]		
TC3636	36w x 36h	717	31 [▲]	829	33 [▲]		
TC3648	36w x 48h	796	41*	917	43*		
TC4836	48w x 36h	796	41*	917	43*		
TC4848	48w x 48h	940	53*	1,078	55*		
TC6036	60w x 36h	1,055	53*	1,169	50*		
TC6048	60w x 48h	1,208	69*	1,373	66*		
TC7236	72w x 36h	1,162	64*	1,336	67*		
TC7248	72w x 48h	1,283	92*	1,473	94*		
TC9648	96w x 48h	1,586	114*	1,825	121*		
TC12048	120w x 48h	2 panels with center divider, fully assembled.		2,367	157*	2,722	160*
TC14448	144w x 48h	2 panels with center divider, fully assembled.		3,071	205*	3,534	210*
Fabric Tackable or COM Panel							
FB2436	24w x 36h	527	14 [▲]	607	16 [▲]		
FB3624	36w x 24h	527	14 [▲]	607	16 [▲]		
FB3636	36w x 36h	676	16 [▲]	782	17 [▲]		
FB3648	36w x 48h	751	20*	865	22*		
FB4836	48w x 36h	751	20*	865	22*		
FB4848	48w x 48h	887	26*	1,017	28*		
FB6036	60w x 36h	1,008	27*	1,213	30*		
FB6048	60w x 48h	1,155	34*	1,315	36*		
FB7236	72w x 36h	1,096	36*	1,260	38*		
FB7248	72w x 48h	1,210	50*	1,390	62*		
FB9648	96w x 48h	1,496	72*	1,722	76*		
Natural Cork Tackable Panel							
CK2436	24w x 36h	415	11 [▲]	480	13 [▲]		
CK3624	36w x 24h	415	11 [▲]	480	13 [▲]		
CK3636	36w x 36h	512	20 [▲]	592	21 [▲]		
CK3648	36w x 48h	612	22*	705	21*		
CK4836	48w x 36h	612	24*	705	26*		
CK4848	48w x 48h	751	29*	865	31*		
CK6036	60w x 36h	854	37*	867	39*		
CK6048	60w x 48h	994	41*	1,058	43*		
CK7236	72w x 36h	868	45*	1,004	48*		
CK7248	72w x 48h	1,025	51*	1,177	53*		
CK9648	96w x 48h	1,287	74*	1,485	77*		

▲ UPS Dimensional Weight Shipped by Truck*
All board sizes are nominal. Contact factory for exact sizes/profile.

Specifications & Ordering Information (See page 126. For Accessories, see page 124.)









TACTICS® Communication Boards

ColorCork

Combination Writing Surface with Natural Cork, ColorCork or Fabric



ColorCork Selection
See Web



Model	Size	Profiles 5, 7		Profiles 8, 9			
		List	Est. Ship Wt.	List	Est. Ship Wt.		
ColorCork Tackable Panel							
PB2436	24w x 36h	\$ 455	18 [▲]	\$ 669	19 [▲]		
PB3624	36w x 24h	455	18 [▲]	669	19 [▲]		
PB3636	36w x 36h	562	25 [▲]	862	27 [▲]		
PB3648	36w x 48h	673	34 [*]	951	36 [*]		
PB4836	48w x 36h	673	34 [*]	951	36 [*]		
PB4848	48w x 48h	827	41 [*]	1,121	44 [*]		
PB6036	60w x 36h	940	45 [*]	1,213	47 [*]		
PB6048	60w x 48h	1,092	56 [*]	1,445	60 [*]		
PB7236	72w x 36h	959	57 [*]	1,387	59 [*]		
PB7248	72w x 48h	1,128	62 [*]	1,529	65 [*]		
PB9648	96w x 48h	1,418	80 [*]	1,895	86 [*]		
Model	Size	Panel Widths L R		List	Est. Ship Wt.	List	Est. Ship Wt.
Natural Cork (left panel) Writing Surface (right panel)							
CT4836	48w x 36h	24	24	841	34 [*]	964	36 [*]
CT7236	72w x 36h	36	36	1,108	53 [*]	1,274	55 [*]
CT7248	72w x 48h	36	36	1,372	68 [*]	1,578	70 [*]
CT9648	96w x 48h	48	48	1,638	90 [*]	1,880	94 [*]
ColorCork Tackable (left panel) Writing Surface (right panel)							
PT4836	48w x 36h	24	24	1,041	39 [*]	1,494	40 [*]
PT7236	72w x 36h	36	36	1,431	57 [*]	1,741	60 [*]
PT7248	72w x 48h	36	36	1,788	75 [*]	2,175	77 [*]
PT9648	96w x 48h	48	48	2,184	98 [*]	2,615	107 [*]
Fabric Tackable or COM (left panel) Writing Surface (right panel)							
FT4836	48w x 36h	24	24	931	35 [*]	1,068	37 [*]
FT7236	72w x 36h	36	36	1,310	55 [*]	1,511	57 [*]
FT7248	72w x 48h	36	36	1,529	75 [*]	1,762	77 [*]
FT9648	96w x 48h	48	48	1,900	86 [*]	2,184	90 [*]





▲ UPS Dimensional Weight Shipped by Truck*
All board sizes are nominal. Contact factory for exact sizes/profile.

Specifications & Ordering Information (See page 126. For Accessories, see page 124.)




TACTICS® Communication Boards

Wall Mounted
Specifications & Ordering Information


Profile Number	Name	Shape	Frame Finishes
5.	Slim Trim		Aluminum extrusion in Matte Aluminum, Black or Bright White.
7.	1/2 Round		Available in all Wood Finishes.
8.	Radius		Available in all Wood Finishes.
9.	Lineal		Available in all Wood Finishes.

See PPP Color Card or Web


Frame Profiles




5. Slim Trim
1" w x 5/16" h




7. 1/2 Round
1 1/4" w x 3/4" h



8. Radius
1 1/2" w x 3/4" h



9. Lineal
1 1/2" w x 3/4" h



Wall Mount Cleat

All board sizes are nominal. Contact factory for exact sizes/profile.

To Order Specify

- Quantity
- Model
- Profile Number
- Frame Finish
- Fabric, ColorCork or COM
- Accessories:** See pages 194 & 195

Frame Finishes	
A	PPP Color
CH	Cherry
LC	Light Cherry
HO	Honey
MA	Natural Maple
MM	Mahogany
LW	Light Walnut
W	Walnut

ColorCork
2186
2187
2209

Fabric Selection - see page 126
 Guilford of Maine
 Sprite Style 2671
 Lido Style 2858
 Crosstown Style 2526
 COM: Customer's Own Material
 Page 126 for shipping information

See PPP Color Card or Web

TACTICS® Communication Boards

- Available in 1 or 2 panel configurations with porcelain enamel dry erase Writing Surface, Fabric, COM, ColorCork or Natural Cork tackable panels.
- Writing Surface:** White porcelain enamel writing surface consists of a specially formulated glass substance fused to 28 gauge steel. A porcelain enamel color cover-coat is applied to the ground-coat, then fused with a second firing operation to provide a glass hard, smooth surface that is non-porous, non-absorbent and acid resistant.
- The TACTICS® writing surface can be used for projection presentations and will accept magnetic accessories.
- Pen Rail (12" aluminum, magnetic attachment), 4 markers and eraser included with each board.
- Natural Cork Tackboard:** Natural cork laminated to a 1/2" thick fiberboard.
- ColorCork:** Washable, tackable surface which reveals itself after pins are removed. Ideal for clean room environments. For ColorCork specifications, see page 126.
- Wall mounting cleat/bracket & hardware included.**
- Custom Sizes:** Custom sizes, other configurations and silk-screening available. Please submit your requirements.
- Shipping:** All units are fully assembled and cartoned. For Accessories, see page 126.





TACTICS PLUS®

Advanced Training System

Accessories




5790



RGPH4



5792



5792P

Model	Description	Size	List	Est. Ship Wt.
5790	Tools: 12 Dry Erase markers, Eraser, Board cleaner		\$ 129	2
RGPH4	Marker and eraser holder. Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included	10w x 2¾h x 2d	50	
5789	Pen Rail: Natural Anodized Aluminum with polished edges Includes 4 Dry Erase markers and Eraser Magnetic attachment to any porcelain enamel writing panel	12w x 2¼d	82	2
5791	Pen Rail ONLY, Magnetic attachment to any porcelain panel Finish: Natural Anodized Aluminum with polished edges	12w x 2¼d	42	2
5792	Pen Rail ONLY, Custom Length x 2¼"d Finish: Natural Anodized Aluminum with polished edges Screw attachment to any Track Level 2 panel only	Cut to order, up to 96" length	42 per ft. Price to next highest foot	2 ▲ per ft.
5792P	Presentation Rail ONLY, Custom Length x 2¼"d Finish: Natural Anodized Aluminum with polished edges Screw attachment to any Track Level 2 panel only	Cut to order, up to 96" length	42 per ft. Price to next highest foot	2 ▲ per ft.

▲ UPS Dimensional Weight


To Order Specify

1. Quantity
2. Model



TACTICS PLUS®

Display Rail



PR



PR
Cross-section

Presentation & Display Rails

Model	Size	List	Est. Ship Wt.
Presentation Rails			
PR12	12w x 2h x 5½d	\$ 73	3
PR24	24w x 2h x 5½d	147	5
PR36	36w x 2h x 5½d	220	8
PR48	48w x 2h x 5½d	294	11 [▲]
PR60	60w x 2h x 5½d	367	13 [▲]
PR72	72w x 2h x 5½d	440	15 [▲]
PR84	84w x 2h x 5½d	515	18 [▲]
PR96	96w x 2h x 5½d	588	21 [▲]

▲ UPS Dimensional Weight

To Order Specify


1. Quantity
2. Model

Specifications

- Finish: Natural Anodized Aluminum.
- Extruded aluminum, 1/8" thick. Screw mount to wall. Load capacity: 15 lbs. per 48" shelf, uniformly distributed static load.



PPP Fabric Styles & ColorCork Selections



1. Guilford of Maine

Sprite Style 2671

010 Linen	030 Khaki
020 Butter	032 Harvest
031 Kiwi	040 Snow
012 Sherbet	

Lido Style 2858

024 Oak Bluffs	023 Cape May
010 Hermosa	030 Newport
065 Bryce Canyon	031 Smith Point
019 Balboa	

Crosstown Style 2526

010 Cement	040 Waterfront
030 Ray	060 Fieldstone
070 Stucco	080 Buff
021 Graphite	

To order samples, visit online sample service: <http://www.guilfordofmaine.com>

2. ColorCork

2186
2187
2209

ColorCork Specifications

- ColorCork is made from pure, granulated cork and natural ingredients that are combined under heat and pressure to create a smooth, suede-like surface of exceptional durability.
- ColorCork is washable, tackable and reseals itself after push-pins are removed. The cork naturally inhibits bacterial growth and is environmentally friendly with no toxins or harmful by-products or emissions.
- The ColorCork surface does not crack, peel or crumble and has low light reflectance.
- Meets ASTM E-84, class B and NFPA 253, Class II.

Samples available on request via Forbo Linoleum, Inc., 800-842-7839 x 712.

3. COM - Customer's Own Material

Optional COM - Customer's Own Materials are available on most tackable panels.

Shipping Instructions for COM

When ordering material, customer must have supplier of material mark the following information on the outside of the package.

1. Buyer's name.
2. Purchase Order Number to PPP.
3. Purchase Order date.
4. Work Order Number material is to cover.
5. Quantity and model number(s) material is to cover.
6. *Specify fabric direction: conventional or railroad.*

All materials to be shipped FREIGHT PREPAID to:

Peter Pepper Products, Inc., 6525 Flotilla Street, Commerce, CA 90040.

Responsibility for COM shipments:

- **We cannot be held responsible for performance of COM covering materials, nor shall we be held responsible for yields or variations in tone or weaving.**
- **All responsibility for COM shipments is between the buyer and the source.**

