



PETER PEPPER PRODUCTS  
EXPRESSIVE ESSENTIALS™

## PRICE LIST & SPECIFICATIONS

Effective September 1, 2022

All Prices are Suggested List Price

PLEASE NOTE:

Our quick ship service, **PDQ**, is currently unavailable. All orders are subject to current lead times. For inquiries regarding current lead times, please contact Peter Pepper Products Customer Service.

## Section 10

### VISUAL COMMUNICATION COLLECTION

**Tactics® & Tactics Plus® Writing Surfaces**

*Porcelain & Glass*

**Tackable Panels**

**Combination Bulletin/Tack Boards**

**Parallel**

*Writing, Tack, Mirror Panels and Accessories*

**Message Centers**

**PepperMint® & MiniMint®**

*Directories*



OSHDP Seismic Compliant  
Anchorage in California



# MiniMint® Wall Mounted Combination Units


Model MM-CW • Open Frame  
 Model MM-CW-GL • Glass Enclosed

Pepper Delivers Quicker!

PDO must be on a separate order and MUST specify PDO.

PDO prices are printed in **BOLD**. Shipment within 10 business days.

|        |    |               | Standard Natural Cork |          | Optional Add for Each Panel |               |           | MM-CW-GL Only            |                    |               |
|--------|----|---------------|-----------------------|----------|-----------------------------|---------------|-----------|--------------------------|--------------------|---------------|
| Size W | H  | No. of Panels | MM-CW                 | MM-CW-GL | Writing Surface             | Fabric or COM | ColorCork | Upcharge PPP Color Frame | NET Crating Charge | Est. Ship Wt. |
|        |    |               | 36                    | 36       | 2                           | \$ 1,577      | \$ 2,476  | \$ 229                   | \$ 166             | \$ 216        |
| 48     | 36 | 2             | 1,764                 | 2,757    | 247                         | 174           | 233       | 176                      | 227                | 83*           |
| 48     | 48 | 2             | 2,018                 | 3,176    | 284                         | 210           | 268       | 202                      | 251                | 107*          |
| 60     | 36 | 2             | 1,944                 | 3,085    | 262                         | 191           | 247       | 194                      | 248                | 104*          |
| 60     | 48 | 2             | 2,503                 | 3,495    | 284                         | 207           | 268       | 250                      | 281                | 134*          |
| 72     | 36 | 2             | 2,227                 | 3,958    | 332                         | 242           | 313       | 223                      | 269                | 127*          |
| 72     | 48 | 2             | 2,550                 | 4,802    | 381                         | 280           | 359       | 255                      | 306                | 163*          |
| 96     | 48 | 3             | 3,248                 | 6,094    | 416                         | 301           | 392       | 325                      | 356                | 212*          |



RGPH4

### Options

- 5790** Tools: 12 Dry Erase markers, Eraser, Board cleaner..... **129**  
**RGPH4** Marker and eraser holder. 10" w x 2 3/4" h x 2" d ..... **50**  
 Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included

Shipped by Truck\*

| To Order Specify  |   |   |
|---|---|---|
| <ol style="list-style-type: none"> <li>Quantity</li> <li>Model</li> <li>Frame Finish Code. Upcharge for PPP Color</li> <li>Size: W x H</li> <li>Panel Group: 1, 3 or 4<br/>                     Note: List Panel Widths &amp; Type, Left-to-Right<br/>                     (See ordering examples, opposite page)</li> <li><b>Standard Panel:</b> Natural Cork</li> <li><b>Optional Panels:</b> Writing Surface - White, ColorCork, Fabric Selection or COM</li> <li><b>Add NET Crating Charge</b> MM-CW-GL only</li> <li><b>Options</b></li> </ol> | <p><b>Frame Finishes</b></p> <p><b>RA</b> Natural Anodized Aluminum<br/> <b>RC</b> PPP Color - Upcharge</p> <p><b>ColorCork</b></p> <p>2186<br/>                 2187<br/>                 2209</p> | <p><b>Fabric Selection - see page 158</b></p> <p>Guilford of Maine<br/>                 Sprite Style 2671<br/>                 Lido Style 2858<br/>                 Crosstown Style 2526<br/>                 COM: Customer's Own Material<br/>                 Page 158 for shipping information</p> |
| See PPP Color Card or Web   |   |   |

### Specifications

- **MM-CW:** Quarter round mini-profile, open frame.
- **MM-CW-GL:** Semi-circular mini profile frame with sliding, lockable, tempered glass doors. Door locks included.  
 For polycarbonate sliding doors, add 15% upcharge.
- Any combination of Standard or Optional Panels may be ordered.

#### Standard Panel

- **Natural Cork**

#### Optional Panels with Upcharge

- **Writing Surface Panels:** White.  
 Porcelain enamel writing surface fused to 28 gauge steel. Full width pen rail, 4 dry erase markers and eraser included.
- **ColorCork:** For specifications, see page 158.
- **Fabric** covered tackboard.
- **COM:** Tackboard covered in Customer's Own Material. For COM instructions, see page 158.
- Wall mounting cleat/bracket and hardware included.




# MiniMint® Wall Mounted Combination Units

- Model MM-CW • Open Frame  
 Model MM-CW-GL • Glass Enclosed

|        |    |               | Panel Configurations |                                     |                                     |                                     |
|--------|----|---------------|----------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Size W | H  | No. of Panels | Glass Door Type      | Panel Group 1 Panel Widths 2 Panels | Panel Group 3 Panel Widths 3 Panels | Panel Group 4 Panel Widths 3 Panels |
| 36     | 36 | 2             | 1 Set Sliding        | 18 • 18                             |                                     |                                     |
| 48     | 36 | 2             | 1 Set Sliding        | 24 • 24                             |                                     |                                     |
| 48     | 48 | 2             | 1 Set Sliding        | 24 • 24                             |                                     |                                     |
| 60     | 36 | 2             | 1 Set Sliding        | 30 • 30                             |                                     |                                     |
| 60     | 48 | 2             | 1 Set Sliding        | 30 • 30                             |                                     |                                     |
| 72     | 36 | 2             | 2 Sets Sliding       | 36 • 36                             |                                     |                                     |
| 72     | 48 | 2             | 2 Sets Sliding       | 36 • 36                             |                                     |                                     |
| 96     | 48 | 3             | 3 Sets Sliding       |                                     | 24 • 48 • 24                        | 32 • 32 • 32                        |

## Ordering Example for Panel Configurations

**MM-CW** (Open Frame)  
 96" w x 48" h Panel Group 3 3 Panels



Writing Surface Panel with Pen Rail Illustrated


- Left Panel** - 24" Cork  
**Center Panel** - 48" Writing Surface Panel  
**Right Panel** - 24" Cork

.....  
*Specify panel widths and type, left-to-right*




**MM-CW**  
 Quarter Round Frame

**MM-CW-GL** (Glass Enclosed)  
 72" w x 36" h Panel Group 1 2 Panels with 2 sets of sliding glass doors



- Left Panel** - 36" Fabric Panel  
**Right Panel** - 36" Fabric Panel

.....  
*Specify panel widths and type, left-to-right*




**MM-CW-GL**  
 Semi-Circular Frame

© 9/2022



# MiniMint® Wall Mounted Bulletin/Tack Boards

## Model MMD-2 • Glass Enclosed



MMD-2



MMD-2  
Semi-Circular Frame

| Size<br>W      H  | Natural<br>Cork | ColorCork<br>Panel | Fabric or<br>COM | Upcharge<br>PPP Color<br>Frame | NET<br>Crating<br>Charge | Est.<br>Ship<br>Wt. |
|---|-----------------|--------------------|------------------|--------------------------------|--------------------------|---------------------|
| <b>Model MMD-2</b><br>(For larger sizes of MMD-2, see MM-CW-GL, page 148) |                 |                    |                  |                                |                          |                     |
| 24    24  | \$ 1,407        | \$ 1,999           | \$ 1,537         | \$ 141                         | \$ 130                   | 36*                 |
| 24    30  | 1,534           | 2,180              | 1,675            | 153                            | 147                      | 44*                 |
| 24    36  | 1,663           | 2,377              | 1,823            | 166                            | 156                      | 52*                 |
| 36    24  | 1,663           | 2,377              | 1,823            | 166                            | 156                      | 52*                 |
| 36    30  | 1,842           | 2,620              | 2,014            | 184                            | 175                      | 64*                 |
| 36    36  | 2,004           | 2,851              | 2,195            | 200                            | 191                      | 75*                 |
| 36    48  | 2,333           | 3,323              | 2,551            | 233                            | 215                      | 98*                 |
| 48    24  | 1,959           | 2,790              | 2,145            | 196                            | 183                      | 68*                 |
| 48    30  | 2,158           | 3,072              | 2,361            | 216                            | 198                      | 83*                 |
| 48    36  | 2,333           | 3,323              | 2,551            | 233                            | 218                      | 98*                 |
| 48    42  | 2,556           | 3,626              | 2,792            | 256                            | 239                      | 113*                |
| 48    48  | 2,746           | 3,906              | 3,007            | 275                            | 251                      | 128*                |

Shipped by Truck\*

### To Order Specify

- Quantity
- Model
- Frame Finish Code. Upcharge for PPP Color
- Size: W x H
- Panel: Natural Cork  
ColorCork  
Fabric Selection  
COM (Customer's Own Material)
- Add NET Crating Charge**

#### Frame Finishes

- RA** Natural Anodized Aluminum  
**RC** PPP Color - Upcharge

#### ColorCork

- 2186  
2187  
2209

#### Fabric Selection - see page 158

- Guilford of Maine  
Sprite Style 2671  
Lido Style 2858  
Crosstown Style 2526  
COM: Customer's Own Material  
Page 158 for shipping information

See PPP Color Card or Web


### Specifications

- MMD-2: OD: 2", ID: 7/16".
- Sliding, lockable, tempered glass doors. Door locks included. For polycarbonate sliding doors, add 15% upcharge.
- Back panel in Natural Cork, ColorCork, Fabric or COM tackable panel.  
For ColorCork specifications, see page 158.
- Wall mounting cleat/bracket and hardware included.



# Wood Framed, Wall Mounted Bulletin/Tackboards

## Model WB-CW-GL Combination Panels • Glass Enclosed




**WB-CW-GL**  
ID: 1 $\frac{1}{16}$ " on all models

| Size<br>W             | H  | Sliding<br>Door Sets | Natural Cork<br>Panel | ColorCork<br>Panel | Fabric or<br>COM<br>Panel | NET<br>Crating<br>Charge | Est.<br>Ship<br>Wt. |
|-----------------------|----|----------------------|-----------------------|--------------------|---------------------------|--------------------------|---------------------|
| <b>Model WB-CW-GL</b> |    |                      |                       |                    |                           |                          |                     |
| 36                    | 24 | 1                    | \$ 1,807              | \$ 2,103           | \$ 1,989                  | \$ 147                   | 45*                 |
| 36                    | 36 | 1                    | 1,867                 | 2,351              | 2,055                     | 180                      | 64*                 |
| 48                    | 36 | 1                    | 2,327                 | 3,026              | 2,557                     | 206                      | 83*                 |
| 48                    | 48 | 1                    | 2,397                 | 3,113              | 2,635                     | 237                      | 107*                |
| 60                    | 36 | 1                    | 2,484                 | 3,229              | 2,731                     | 234                      | 104*                |
| 60                    | 48 | 1                    | 2,637                 | 3,426              | 2,898                     | 265                      | 134*                |
| 72                    | 36 | 2                    | 2,985                 | 3,880              | 3,283                     | 254                      | 127*                |
| 72                    | 48 | 2                    | 3,622                 | 4,712              | 3,986                     | 289                      | 163*                |
| 84                    | 36 | 2                    | 3,772                 | 4,904              | 4,154                     | 273                      | 145*                |
| 84                    | 48 | 2                    | 4,332                 | 5,630              | 4,763                     | 313                      | 187*                |
| 96                    | 36 | 2                    | 4,005                 | 5,205              | 4,404                     | 293                      | 164*                |
| 96                    | 48 | 2                    | 4,600                 | 5,980              | 5,062                     | 336                      | 212*                |


For combination panels, use highest Panel Price column.

Shipped by Truck\*

### Wood Frame Styles



(R) Radius



(L) Linear

### To Order Specify

|  |  |  |   |
|--|--|--|---|
| <ol style="list-style-type: none"> <li>Quantity</li> <li>Model: WB-CW-GL</li> <li>Size: W x H</li> <li>Frame Style:<br/>R (Radius) or L (Linear)</li> <li>Frame: Wood Finish</li> <li>Panel: Natural Cork<br/>ColorCork<br/>Fabric Selection<br/>COM (Customer's Own Material)</li> <li><b>Add NET Crating Charge</b></li> </ol> | <b>Frame Finishes</b><br><b>CH</b> Cherry<br><b>LC</b> Light Cherry<br><b>HO</b> Honey<br><b>MA</b> Natural Maple<br><b>MM</b> Mahogany<br><b>LW</b> Light Walnut<br><b>W</b> Walnut | <b>ColorCork</b><br>2186<br>2187<br>2209 | <b>Fabric Selection - see page 158</b><br>Guilford of Maine<br>Sprite Style 2671<br>Lido Style 2858<br>Crosstown Style 2526<br>COM: Customer's Own Material<br><i>Page 158 for shipping information</i> |
|--|--|--|---|

See PPP Color Card or Web

### Specifications

- WB-CW-GL Frame styles: R (Radius) or L (Linear). OD 2 $\frac{1}{2}$ ". ID 1 $\frac{1}{16}$ ".
- Single or Combination Panels: Any combination of panels in equal widths may be ordered. For combination panels, use highest Panel Price column.
- Back panel in Natural Cork, ColorCork, Fabric or COM tackable panel.  
*For ColorCork specifications, see page 158.*
- Sliding, lockable, tempered glass doors. Door locks included. For polycarbonate sliding doors, add 15% upcharge.
- Wall mounting cleat/bracket and hardware included.



# Magnetic Glass Writing Surface

Model GB • Non-Magnetic


Model GBX • Magnetic

Concealed or Standoff Mount


Pepper Delivers Quicker!

PDO must be on a separate order and MUST specify PDO.


PDO prices are printed in **BOLD**. Shipment within 10 business days.



Concealed Mount  
Full width pen rail



Standoff Mount  
Pen rail 12" less than full width




Standoff Detail



GB-MAG



5790



RGP4

| Size<br>W H    | Description  | Model GB<br>Non-Magnetic<br>Glass<br>List | Model GBX<br>Magnetic<br>Glass<br>List | Upcharge<br>Standoff<br>Mount | Est.<br>Ship<br>Wt. |
|----------------|--|---|--|-------------------------------|---------------------|
| 24 36          | Magnetic Glass Writing Surface   | <b>NOT<br/>AVAILABLE</b>                  | \$ <b>711</b>                          | \$ 228                        | 30 <sup>▲</sup>     |
| 36 24          | Magnetic Glass Writing Surface   |   | <b>711</b>                             | 228                           | 30 <sup>▲</sup>     |
| 36 48          | Magnetic Glass Writing Surface   |   | <b>1,318</b>                           | 228                           | 63 *                |
| 48 36          | Magnetic Glass Writing Surface   |   | <b>1,318</b>                           | 228                           | 63 *                |
| 72 48          | Magnetic Glass Writing Surface   |   | <b>2,301</b>                           | 342                           | 121 *               |
| 96 48          | Magnetic Glass Writing Surface   |   | <b>3,113</b>                           | 456                           | 161 *               |
| <b>Options</b> |  |   |  |                               |                     |
| <b>GBMAG</b>   | Additional Rare Earth Magnets, Set of 5.....   |   | \$ <b>36</b>                           |                               | 1                   |
| <b>5790</b>    | Tools: 12 Dry Erase markers, Eraser, Board cleaner .....   |   | <b>129</b>                             |                               | 2                   |
| <b>RGP4</b>    | Marker and eraser holder. 10" w x 2 3/4" h x 2" d. Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included. |   | <b>50</b>                              |                               |                     |

▲ UPS Dimensional Weight Shipped by Truck\*

## To Order Specify

- |               |                            |
|---------------|----------------------------|
| 1. Quantity   | <b>Mount Type</b>          |
| 2. Model      | Concealed                  |
| 3. Size       | Standoff – <b>Upcharge</b> |
| 4. Mount Type |                            |
| 5. Options    |                            |

## Specifications

- **Model GB:** Clear Glass: Tempered non-magnetic glass surface, 1/4" thick with flat polished edges. Green tint appearance.
- **Model GBX:** Starphire® tempered magnetic glass surface, back coated white, 1/4" thick with flat polished edges. Low iron content produces clear edges and crystal-clear appearance.
- Corners have a 1/4" radius with pencil polished edges.
- Concealed Mount: Wall cleat/bracket and hardware included.
- Magnetic Boards include 5 Rare Earth Magnets.
- Standoff Mount: 1" dia. x 1 1/4" d aluminum standoffs mount to wall. Glass is inserted into notch and tightened with set-screw. Aluminum disc conceals fasteners. Upcharge
  - 24" - 48" wide** 4 Standoffs Included
  - 72" wide** 6 Standoffs Included
  - 96" wide** 8 Standoffs Included
- Pen Rail: Natural Anodized Aluminum extrusion mounts to lower edge of glass marker board. Includes 4 dry erase markers and eraser. Concealed Mount surfaces include a full length pen rail. Stand-Off Mount includes a pen rail measuring 12" less than full width of the writing surface.
- Model GBX boards do not comply with the Trade Agreements Act (TAA) and are not available for GSA contract purchases.



Portions of this product line are temporarily unavailable.  
Please contact customerservice@peterpepper.com to explore alternatives.



# Message Center

## Glass Writing Surface

Designed in Collaboration with HDR



Custom graphics available. Please submit your requirements.

| Model   | Description          | Size           | List   | Est. Ship Wt. |
|---------|----------------------|----------------|--------|---------------|
| MCG2432 | Writing Surface Only | 24w x 32h x 4d | \$ 796 | 45            |

### Option

Custom Lettering, press-on black vinyl. (Maximum 12 characters.)..... \$ 137 NET  
Additional characters (each) ..... 9 NET

Shipped by Truck\*

### To Order Specify

1. Quantity
2. Model
3. Trim & Side Finish
4. Option

#### Hardwood Trim & Laminate Side Finishes

- CH** Cherry  
**LC** Light Cherry  
**HO** Honey  
**MA** Natural Maple  
**MM** Mahogany  
**LW** Light Walnut  
**W** Walnut

See PPP Color Card or Web

### Specifications

- Hardwood trim and laminate sides in PPP Wood Finish.
- Glass Writing Surface: Flush mounted, tempered 5/32" thick safety glass with white back: 23" w x 31" h.
- Card retainer on each side for displaying cards and notes.
- Markers and eraser stow in side holders located on either side. 4 dry erase markers & eraser included.
- Mounting cleat/bracket and hardware included.

### Laminate Finish Cross Reference

| PPP Finish              | Laminate Name    |
|-------------------------|------------------|
| <b>CH</b> Cherry        | WA 7924-07       |
| <b>LC</b> Light Cherry  | WA 7919-38       |
| <b>HO</b> Honey         | Pionite WM951-S  |
| <b>MA</b> Natural Maple | WA 7909-60       |
| <b>MM</b> Mahogany      | WA 7922-07       |
| <b>LW</b> Light Walnut  | WA 7937-38       |
| <b>W</b> Walnut         | Lamin-Art 2608-T |




# MiniMint® Writing Surface

## Model MM-LMB

Pepper Delivers Quicker!

PDQ must be on a separate order and **MUST** specify PDQ.

PDQ prices are printed in **BOLD**. Shipment within 10 business days.




**MM-LMB**  
Open Frame, 1" Depth

Custom silk screen graphics are available on writing surface. Please submit your requirements.



5790



RGPH4



Mini-Aluminum  
Quarter Round

### MiniMint® Writing Surface - Model MM-LMB

| Size<br>W | H  | Description     | List         | Upcharge<br>PPP Color<br>Frame | Est.<br>Ship<br>Wt. |
|-----------|----|-----------------|--------------|--------------------------------|---------------------|
| 24        | 24 | Writing Surface | \$ 1,089     | \$ 109                         | 22 <sup>▲</sup>     |
| 36        | 24 | Writing Surface | 1,259        | 126                            | 28 <sup>▲</sup>     |
| 36        | 36 | "               | 1,499        | 150                            | 35 <sup>▲</sup>     |
| 48        | 36 | Writing Surface | <b>1,772</b> | 177                            | 46 <sup>*</sup>     |
| 60        | 48 | Writing Surface | 2,667        | 267                            | 67 <sup>*</sup>     |
| 72        | 36 | Writing Surface | 2,420        | 242                            | 63 <sup>*</sup>     |
| 72        | 48 | "               | <b>2,796</b> | 280                            | 78 <sup>*</sup>     |
| 96        | 48 | Writing Surface | 3,407        | 341                            | 101 <sup>*</sup>    |

#### Options

|              |   |            |
|--------------|---|------------|
| <b>5790</b>  | Tools: 12 Dry Erase markers, Eraser, Board cleaner.....   | <b>129</b> |
| <b>RGPH4</b> | Marker and eraser holder. 10" w x 2 3/4" h x 2" d. Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included | <b>50</b>  |

▲ UPS Dimensional Weight    Shipped by Truck\*

#### To Order Specify

- Quantity
- Model
- Frame Finish Code. Upcharge for PPP Color
- Size: W x H
- Options

#### Frame Finishes

- RA** Natural Anodized Aluminum  
**RC** PPP Color - Upcharge

See PPP Color Card

#### Specifications

- White porcelain enamel writing surface fused to 28 gauge steel. Writing surface accepts magnetic accessories.
- Includes full length pen rail, 4 dry erase markers and eraser. Natural Anodized Aluminum.
- Wall mounting cleat/bracket and hardware included.







# TACTICS PLUS®

## Writing Surface


### Wall Mounted or Panel Systems

Pepper Delivers Quicker!

PDDQ must be on a separate order and **MUST** specify PDDQ.

PDDQ prices are printed in **BOLD**. Shipment within 10 business days.

PDDQ finish: Natural Anodized Aluminum (AL).



**WS7248**

Custom silk screen graphics are available on writing surface. Please submit your requirements.



**WS4836**

Corner Detail

| Model          | Description   | Size            | White Porcelain | Est. Ship Wt.   |
|----------------|---|-----------------|-----------------|-----------------|
| <b>WS2430</b>  | Writing Surface   | 24w x 30h x ¾d  | \$ 480          | 19 <sup>▲</sup> |
| <b>WS2436</b>  | Writing Surface   | 24w x 36h x ¾d  | <b>489</b>      | 22 <sup>▲</sup> |
| <b>WS3036</b>  | Writing Surface   | 30w x 36h x ¾d  | 559             | 27 <sup>▲</sup> |
| <b>WS3624</b>  | Writing Surface   | 36w x 24h x ¾d  | <b>489</b>      | 22 <sup>▲</sup> |
| <b>WS3636</b>  | Writing Surface   | 36w x 36h x ¾d  | 626             | 31 <sup>▲</sup> |
| <b>WS4824</b>  | Writing Surface   | 48w x 24h x ¾d  | 571             | 31*             |
| <b>WS4836</b>  | Writing Surface   | 48w x 36h x ¾d  | <b>712</b>      | 41*             |
| <b>WS4848</b>  | Writing Surface   | 48w x 48h x ¾d  | <b>861</b>      | 53*             |
| <b>WS6048</b>  | Writing Surface   | 60w x 48h x ¾d  | 1,008           | 68*             |
| <b>WS7248</b>  | Writing Surface   | 72w x 48h x ¾d  | <b>1,180</b>    | 78*             |
| <b>WS9648</b>  | Writing Surface   | 96w x 48h x ¾d  | 1,384           | 103*            |
| <b>WS12048</b> | Writing Surface<br>2 panels with center divider, fully assembled. | 120w x 48h x ¾d | 1,976           | 134*            |

▲ UPS Dimensional Weight Shipped by Truck\*  
Board sizes are nominal. Contact factory for exact sizes/profile.

### To Order Specify

1. Quantity
2. Model

### Specifications

- Aluminum frames finished in Natural Anodized Aluminum.
- White porcelain enamel writing surface fused to 28 gauge steel. Writing surface accepts magnetic accessories.
- Includes 12" Aluminum pen rail, 4 dry erase markers and eraser.
- Wall mounting cleat/bracket and hardware included.





# TACTICS PLUS®

## Fabric Tackable Panel & Combination Board - Tackable & Writing Surface

### Wall Mounted or Panel Systems


Pepper Delivers Quicker!

PDQ must be on a separate order and **MUST** specify PDQ.

PDQ prices are printed in **BOLD**. Shipment within 10 business days.

PDQ frame finish: Natural Anodized Aluminum (AL).


PDQ fabrics: Sprite Style 2671, Lido Style 2858, Crosstown Style 2526.



TF4836



Corner Detail



CB3636

Custom silk screen graphics are available on writing surface. Please submit your requirements.

| Fabric Tackable Panel |   |                | Fabric Covered Panels | Est. Ship Wt.   |
|-----------------------|---|----------------|-----------------------|-----------------|
| Model                 | Description                               | Size           |                       |                 |
| TF1824                | Fabric Tackable Panel                     | 18w x 24h x ¾d | <b>\$ 391</b>         | 7               |
| TF2418                | Fabric Tackable Panel                     | 24w x 18h x ¾d | <b>391</b>            | 7               |
| TF2424                | Fabric Tackable Panel                     | 24w x 24h x ¾d | <b>400</b>            | 9 <sup>▲</sup>  |
| TF2436                | Fabric Tackable Panel                     | 24w x 36h x ¾d | <b>461</b>            | 11 <sup>▲</sup> |
| TF3624                | Fabric Tackable Panel                     | 36w x 24h x ¾d | <b>461</b>            | 11 <sup>▲</sup> |
| TF3636                | Fabric Tackable Panel                     | 36w x 36h x ¾d | <b>591</b>            | 15 <sup>▲</sup> |
| TF4824                | Fabric Tackable Panel                     | 48w x 24h x ¾d | <b>539</b>            | 20*             |
| TF4836                | Fabric Tackable Panel                     | 48w x 36h x ¾d | <b>672</b>            | 26*             |
| TF4848                | Fabric Tackable Panel (Wall Mounted Only) | 48w x 48h x ¾d | <b>812</b>            | 31*             |
| TF7248                | Fabric Tackable Panel (Wall Mounted Only) | 72w x 48h x ¾d | <b>1,113</b>          | 66*             |
| TF9648                | Fabric Tackable Panel (Wall Mounted Only) | 96w x 48h x ¾d | <b>1,306</b>          | 89*             |

| Combination Board |                                     |                | Panel Widths |    | Natural Cork with White Porcelain | Fabric or COM | Est. Ship Wt.   |
|-------------------|-------------------------------------|----------------|--------------|----|-----------------------------------|---------------|-----------------|
| Model             | Description                         | Size           | L            | R  |                                   |               |                 |
| CB3030            | Combination Board                   | 30w x 30h x ¾d | 15           | 15 | \$ 741                            | \$ 813        | 19 <sup>▲</sup> |
| CB3624            | Combination Board                   | 36w x 24h x ¾d | 18           | 18 | 719                               | 791           | 17 <sup>▲</sup> |
| CB3630            | Combination Board                   | 36w x 30h x ¾d | 18           | 18 | 777                               | 849           | 21 <sup>▲</sup> |
| CB3636            | Combination Board                   | 36w x 36h x ¾d | 18           | 18 | 833                               | 905           | 24 <sup>▲</sup> |
| CB4824            | Combination Board                   | 48w x 24h x ¾d | 24           | 24 | 811                               | 916           | 24*             |
| CB4830            | Combination Board                   | 48w x 30h x ¾d | 24           | 24 | 856                               | 961           | 28*             |
| CB4836            | Combination Board                   | 48w x 36h x ¾d | 24           | 24 | 894                               | 1,000         | 31*             |
| CB4848            | Combination Board (Wall Mount Only) | 48w x 48h x ¾d | 24           | 24 | 1,112                             | 1,253         | 40*             |
| CB7248            | Combination Board (Wall Mount Only) | 72w x 48h x ¾d | 36           | 36 | 1,557                             | 1,771         | 59*             |
| CB9648            | Combination Board (Wall Mount Only) | 96w x 48h x ¾d | 48           | 48 | 1,928                             | 2,193         | 77*             |

▲ UPS Dimensional Weight Shipped by Truck\*

Board sizes are nominal. Contact factory for exact sizes/profile.

### To Order Specify

- Quantity
- Model
- TF Models: Fabric Selection
- CB Models: Tackable Panel: Natural Cork, Fabric or COM - *Fabric or COM Upcharge*

#### Fabric Selection - see page 158

Guilford of Maine  
 Sprite Style 2671 - **PDQ**  
 Lido Style 2858 - **PDQ**  
 Crosstown Style 2526 - **PDQ**  
 COM: Customer's Own Material  
 Page 158 for shipping information

See PPP Color Card or Web

### Specifications

- Wall mounting cleat/bracket and hardware included.
- Aluminum frame finished in Natural Anodized Aluminum.

#### TF Models:

- Fabric or COM laminated to lightweight tackable core.

#### CB Models:

- Porcelain enamel writing surface fused to 28 gauge steel. Writing surface accepts magnetic accessories.
- Includes 12" Aluminum pen rail, 4 dry erase markers and eraser.
- Combination Boards have natural cork or fabric tackable panel on left side.

For accessories, see pages 194 & 195.





# TACTICS® Communication Boards

Writing Surface • Fabric • Natural Cork

Pepper Delivers Quicker!


**PDD** must be on a separate order and **MUST** specify **PDD**.

**PDD** prices are printed in **BOLD**. Shipment within 10 business days.

**PDD** colors: Profile 5: Matte Aluminum, Black or Bright White.


Profile 6: Soft White, Black, Aluminum Metallic or Haze.

Profile 7: Natural Maple (MA).




### Writing Surface

Custom silk screen graphics are available on writing surface. Please submit your requirements.



Fabric Tackable or COM Panel



Natural Cork Tackable Panel

| Model                               | Size       | Profiles 5, 6, 7 |                 | Profiles 8, 9 |                 |
|-------------------------------------|------------|------------------|-----------------|---------------|-----------------|
|                                     |            | List             | Est. Ship Wt.   | List          | Est. Ship Wt.   |
| <b>Writing Surface</b>              |            |                  |                 |               |                 |
| TC2436                              | 24w x 36h  | \$ 559           | 22 <sup>▲</sup> | \$ 643        | 25 <sup>▲</sup> |
| TC3624                              | 36w x 24h  | 559              | 22 <sup>▲</sup> | 643           | 25 <sup>▲</sup> |
| TC3636                              | 36w x 36h  | 717              | 31 <sup>▲</sup> | 829           | 33 <sup>▲</sup> |
| TC3648                              | 36w x 48h  | 796              | 41*             | 917           | 43*             |
| TC4836                              | 48w x 36h  | 796              | 41*             | 917           | 43*             |
| TC4848                              | 48w x 48h  | 940              | 53*             | 1,078         | 55*             |
| TC6036                              | 60w x 36h  | 1,055            | 53*             | 1,169         | 50*             |
| TC6048                              | 60w x 48h  | 1,208            | 69*             | 1,373         | 66*             |
| TC7236                              | 72w x 36h  | 1,162            | 64*             | 1,336         | 67*             |
| TC7248                              | 72w x 48h  | 1,283            | 92*             | 1,473         | 94*             |
| TC9648                              | 96w x 48h  | 1,586            | 114*            | 1,825         | 121*            |
| TC12048                             | 120w x 48h | 2,367            | 157*            | 2,722         | 160*            |
| TC14448                             | 144w x 48h | 3,071            | 205*            | 3,534         | 210*            |
| <b>Fabric Tackable or COM Panel</b> |            |                  |                 |               |                 |
| FB2436                              | 24w x 36h  | 527              | 14 <sup>▲</sup> | 607           | 16 <sup>▲</sup> |
| FB3624                              | 36w x 24h  | 527              | 14 <sup>▲</sup> | 607           | 16 <sup>▲</sup> |
| FB3636                              | 36w x 36h  | 676              | 16 <sup>▲</sup> | 782           | 17 <sup>▲</sup> |
| FB3648                              | 36w x 48h  | 751              | 20*             | 865           | 22*             |
| FB4836                              | 48w x 36h  | 751              | 20*             | 865           | 22*             |
| FB4848                              | 48w x 48h  | 887              | 26*             | 1,017         | 28*             |
| FB6036                              | 60w x 36h  | 1,008            | 27*             | 1,213         | 30*             |
| FB6048                              | 60w x 48h  | 1,155            | 34*             | 1,315         | 36*             |
| FB7236                              | 72w x 36h  | 1,096            | 36*             | 1,260         | 38*             |
| FB7248                              | 72w x 48h  | 1,210            | 50*             | 1,390         | 62*             |
| FB9648                              | 96w x 48h  | 1,496            | 72*             | 1,722         | 76*             |
| <b>Natural Cork Tackable Panel</b>  |            |                  |                 |               |                 |
| CK2436                              | 24w x 36h  | 415              | 11 <sup>▲</sup> | 480           | 13 <sup>▲</sup> |
| CK3624                              | 36w x 24h  | 415              | 11 <sup>▲</sup> | 480           | 13 <sup>▲</sup> |
| CK3636                              | 36w x 36h  | 512              | 20 <sup>▲</sup> | 592           | 21 <sup>▲</sup> |
| CK3648                              | 36w x 48h  | 612              | 22*             | 705           | 21*             |
| CK4836                              | 48w x 36h  | 612              | 24*             | 705           | 26*             |
| CK4848                              | 48w x 48h  | 751              | 29*             | 865           | 31*             |
| CK6036                              | 60w x 36h  | 854              | 37*             | 867           | 39*             |
| CK6048                              | 60w x 48h  | 994              | 41*             | 1,058         | 43*             |
| CK7236                              | 72w x 36h  | 868              | 45*             | 1,004         | 48*             |
| CK7248                              | 72w x 48h  | 1,025            | 51*             | 1,177         | 53*             |
| CK9648                              | 96w x 48h  | 1,287            | 74*             | 1,485         | 77*             |

▲ UPS Dimensional Weight Shipped by Truck\*

All board sizes are nominal. Contact factory for exact sizes/profile.

**Specifications & Ordering Information** (See page 158. For Accessories, see page 160.)

© 8/2022









# TACTICS® Communication Boards

ColorCork

Combination Writing Surface with Natural Cork, ColorCork or Fabric



ColorCork Selection  
See Web



| Model  | Size      | Profiles 5, 6, 7    |                 | Profiles 8, 9 |                 |       |                  |
|--|-----------|---------------------|-----------------|---------------|-----------------|-------|------------------|
|  |           | List                | Est. Ship Wt.   | List          | Est. Ship Wt.   |       |                  |
| <b>ColorCork Tackable Panel</b>  |           |                     |                 |               |                 |       |                  |
| PB2436   | 24w x 36h | \$ 455              | 18 <sup>▲</sup> | \$ 669        | 19 <sup>▲</sup> |       |                  |
| PB3624   | 36w x 24h | 455                 | 18 <sup>▲</sup> | 669           | 19 <sup>▲</sup> |       |                  |
| PB3636   | 36w x 36h | 562                 | 25 <sup>▲</sup> | 862           | 27 <sup>▲</sup> |       |                  |
| PB3648   | 36w x 48h | 673                 | 34 <sup>*</sup> | 951           | 36 <sup>*</sup> |       |                  |
| PB4836   | 48w x 36h | 673                 | 34 <sup>*</sup> | 951           | 36 <sup>*</sup> |       |                  |
| PB4848   | 48w x 48h | 827                 | 41 <sup>*</sup> | 1,121         | 44 <sup>*</sup> |       |                  |
| PB6036   | 60w x 36h | 940                 | 45 <sup>*</sup> | 1,213         | 47 <sup>*</sup> |       |                  |
| PB6048   | 60w x 48h | 1,092               | 56 <sup>*</sup> | 1,445         | 60 <sup>*</sup> |       |                  |
| PB7236   | 72w x 36h | 959                 | 57 <sup>*</sup> | 1,387         | 59 <sup>*</sup> |       |                  |
| PB7248   | 72w x 48h | 1,128               | 62 <sup>*</sup> | 1,529         | 65 <sup>*</sup> |       |                  |
| PB9648   | 96w x 48h | 1,418               | 80 <sup>*</sup> | 1,895         | 86 <sup>*</sup> |       |                  |
| Model  | Size      | Panel Widths<br>L R |                 | List          | Est. Ship Wt.   | List  | Est. Ship Wt.    |
| <b>Natural Cork (left panel)<br/>Writing Surface (right panel)</b>           |           |                     |                 |               |                 |       |                  |
| CT4836   | 48w x 36h | 24                  | 24              | 841           | 34 <sup>*</sup> | 964   | 36 <sup>*</sup>  |
| CT7236   | 72w x 36h | 36                  | 36              | 1,108         | 53 <sup>*</sup> | 1,274 | 55 <sup>*</sup>  |
| CT7248   | 72w x 48h | 36                  | 36              | 1,372         | 68 <sup>*</sup> | 1,578 | 70 <sup>*</sup>  |
| CT9648   | 96w x 48h | 48                  | 48              | 1,638         | 90 <sup>*</sup> | 1,880 | 94 <sup>*</sup>  |
| <b>ColorCork Tackable (left panel)<br/>Writing Surface (right panel)</b>     |           |                     |                 |               |                 |       |                  |
| PT4836   | 48w x 36h | 24                  | 24              | 1,041         | 39 <sup>*</sup> | 1,494 | 40 <sup>*</sup>  |
| PT7236   | 72w x 36h | 36                  | 36              | 1,431         | 57 <sup>*</sup> | 1,741 | 60 <sup>*</sup>  |
| PT7248   | 72w x 48h | 36                  | 36              | 1,788         | 75 <sup>*</sup> | 2,175 | 77 <sup>*</sup>  |
| PT9648   | 96w x 48h | 48                  | 48              | 2,184         | 98 <sup>*</sup> | 2,615 | 107 <sup>*</sup> |
| <b>Fabric Tackable or COM (left panel)<br/>Writing Surface (right panel)</b> |           |                     |                 |               |                 |       |                  |
| FT4836   | 48w x 36h | 24                  | 24              | 931           | 35 <sup>*</sup> | 1,068 | 37 <sup>*</sup>  |
| FT7236   | 72w x 36h | 36                  | 36              | 1,310         | 55 <sup>*</sup> | 1,511 | 57 <sup>*</sup>  |
| FT7248   | 72w x 48h | 36                  | 36              | 1,529         | 75 <sup>*</sup> | 1,762 | 77 <sup>*</sup>  |
| FT9648   | 96w x 48h | 48                  | 48              | 1,900         | 86 <sup>*</sup> | 2,184 | 90 <sup>*</sup>  |

▲ UPS Dimensional Weight Shipped by Truck\*  
All board sizes are nominal. Contact factory for exact sizes/profile.

**Specifications & Ordering Information** (See page 155. For Accessories, see page 156.)



# TACTICS® Communication Boards

## Wall Mounted

### Specifications & Ordering Information

Pepper Delivers Quicker!






PDD must be on a separate order and **MUST** specify PDD.

PDD prices are printed in **BOLD**. Shipment within 10 business days.

PDD colors: Profile 5: Matte Aluminum, Black or Bright White.


Profile 6: Soft White, Black, Aluminum Metallic or Haze.

Profile 7: Natural Maple (MA).


| Profile Number | Name      | Shape   | Frame Finishes   |
|----------------|-----------|---|--|
| 5.             | Slim Trim |  | Aluminum extrusion in Matte Aluminum, Black or Bright White. |
| 6.             | Radius    |  | Aluminum extrusion in any PPP Color.                         |
| 7.             | 1/2 Round |  | Available in all Wood Finishes.                              |
| 8.             | Radius    |  | Available in all Wood Finishes.                              |
| 9.             | Lineal    |  | Available in all Wood Finishes.                              |

*See PPP Color Card or Web*


#### Frame Profiles




**5. Slim Trim**  
1" w x 5/16" h




**6. Radius**  
1" w x 3/8" h




**7. 1/2 Round**  
1 1/4" w x 3/4" h



**8. Radius**  
1 1/2" w x 3/4" h



**9. Lineal**  
1 1/2" w x 3/4" h



Wall Mount Cleat

All board sizes are nominal. Contact factory for exact sizes/profile.

#### To Order Specify

- Quantity
- Model
- Profile Number
- Frame Finish
- Fabric, ColorCork or COM
- Accessories:** See pages 194 & 195

#### Frame Finishes

|           |               |
|-----------|---------------|
| <b>A</b>  | PPP Color     |
| <b>CH</b> | Cherry        |
| <b>LC</b> | Light Cherry  |
| <b>HO</b> | Honey         |
| <b>MA</b> | Natural Maple |
| <b>MM</b> | Mahogany      |
| <b>LW</b> | Light Walnut  |
| <b>W</b>  | Walnut        |

#### ColorCork

|      |
|------|
| 2186 |
| 2187 |
| 2209 |

#### Fabric Selection - see page 158

|                                   |
|-----------------------------------|
| Guilford of Maine                 |
| Sprite Style 2671                 |
| Lido Style 2858                   |
| Crosstown Style 2526              |
| COM: Customer's Own Material      |
| Page 158 for shipping information |

*See PPP Color Card or Web*

#### TACTICS® Communication Boards

- Available in 1 or 2 panel configurations with porcelain enamel dry erase Writing Surface, Fabric, COM, ColorCork or Natural Cork tackable panels.
  - Writing Surface:** White porcelain enamel writing surface consists of a specially formulated glass substance fused to 28 gauge steel. A porcelain enamel color cover-coat is applied to the ground-coat, then fused with a second firing operation to provide a glass hard, smooth surface that is non-porous, non-absorbent and acid resistant.
  - The TACTICS® writing surface can be used for projection presentations and will accept magnetic accessories.
  - Pen Rail (12" aluminum, magnetic attachment), 4 markers and eraser included with each board.
  - Natural Cork Tackboard:** Natural cork laminated to 1/2" thick fiberboard.
  - ColorCork:** Washable, tackable surface which reveals itself after pins are removed. Ideal for clean room environments. *For ColorCork specifications, see page 158.*
  - Wall mounting cleat/bracket & hardware included.**
  - Custom Sizes:** Custom sizes, other configurations and silk-screening available. Please submit your requirements.
  - Shipping:** All units are fully assembled and cartoned.
- For Accessories, see page 156.





# TACTICS PLUS®





Advanced Training System

## Accessories

Pepper Delivers Quicker!

**PDD** must be on a separate order and **MUST** specify **PDD**.

**PDD** prices are printed in **BOLD**. Shipment within 10 business days.

| Model  | Description   | Size                           | List  | Est. Ship Wt.  |
|--|---|--------------------------------|---|----------------|
| <br>5790  | Tools: 12 Dry Erase markers, Eraser, Board cleaner  |                                | <b>\$ 129</b>                                   | 2              |
| <br>RGPH4 | Marker and eraser holder. Holds four markers and one eraser, not included. Attaches to glass or wall, double-sided tape included                                | 10w x 2¾h x 2d                 | <b>50</b>                                       |                |
| <br>5792  | Pen Rail: Natural Anodized Aluminum with polished edges<br>Includes 4 Dry Erase markers and Eraser<br>Magnetic attachment to any porcelain enamel writing panel | 12w x 2¼d                      | <b>82</b>                                       | 2              |
| <br>5792P | Pen Rail ONLY, Magnetic attachment to any porcelain panel<br>Finish: Natural Anodized Aluminum with polished edges  | 12w x 2¼d                      | <b>42</b>                                       | 2              |
|  | Pen Rail ONLY, Custom Length x 2¼"d<br>Finish: Natural Anodized Aluminum with polished edges<br>Screw attachment to any Track Level 2 panel only                | Cut to order, up to 96" length | <b>42</b> per ft.<br>Price to next highest foot | 2 ▲<br>per ft. |
|  | Presentation Rail ONLY, Custom Length x 2¼"d<br>Finish: Natural Anodized Aluminum with polished edges<br>Screw attachment to any Track Level 2 panel only       | Cut to order, up to 96" length | <b>42</b> per ft.<br>Price to next highest foot | 2 ▲<br>per ft. |

▲ UPS Dimensional Weight

### To Order Specify

1. Quantity
2. Model




# TACTICS PLUS®

## Tackable Strip, Presentation & Display Rail

Pepper Delivers Quicker!

PDDQ must be on a separate order and **MUST** specify PDDQ.

PDDQ prices are printed in **BOLD**. Shipment within 10 business days.



| Tackable Strip |                | List   | Est. Ship Wt. |
|----------------|----------------|--------|---------------|
| Model          | Size           |        |               |
| <b>TS24</b>    | 24w x 3½h x ¾d | \$ 126 | 4             |
| <b>TS36</b>    | 36w x 3½h x ¾d | 187    | 3             |
| <b>TS48</b>    | 48w x 3½h x ¾d | 247    | 5▲            |
| <b>TS60</b>    | 60w x 3½h x ¾d | 315    | 8▲            |
| <b>TS72</b>    | 72w x 3½h x ¾d | 379    | 8▲            |
| <b>TS96</b>    | 96w x 3½h x ¾d | 503    | 8▲            |

▲ UPS Dimensional Weight



### To Order Specify

|   |   |  |
|---|---|--|
| <ol style="list-style-type: none"> <li>Quantity</li> <li>Model</li> <li>Frame Finish</li> <li>Fabric Selection</li> </ol> | <b>Finishes</b><br><b>CH</b> Cherry <b>MM</b> Mahogany<br><b>LC</b> Light Cherry <b>LW</b> Light Walnut<br><b>HO</b> Honey <b>W</b> Walnut<br><b>MA</b> Natural Maple | <b>Fabric Selection - see page 158</b><br>Guilford of Maine<br>Sprite Style 2671<br>Lido Style 2858<br>Crosstown Style 2526<br>COM: Customer's Own Material<br>Page 158 for shipping information |
|---|---|--|


*See PPP Color Card or Web*

### Specifications

- Fabric covered tackable surface within hardwood frame.
- Screw mount.



| Presentation & Display Rails |                | List         | Est. Ship Wt. |
|------------------------------|----------------|--------------|---------------|
| Model                        | Size           |              |               |
| <b>Presentation Rails</b>    |                |              |               |
| <b>PR12</b>                  | 12w x 2h x 5½d | <b>\$ 73</b> | 3             |
| <b>PR24</b>                  | 24w x 2h x 5½d | <b>147</b>   | 5             |
| <b>PR36</b>                  | 36w x 2h x 5½d | <b>220</b>   | 8             |
| <b>PR48</b>                  | 48w x 2h x 5½d | <b>294</b>   | 11▲           |
| <b>PR60</b>                  | 60w x 2h x 5½d | <b>367</b>   | 13▲           |
| <b>PR72</b>                  | 72w x 2h x 5½d | <b>440</b>   | 15▲           |
| <b>PR84</b>                  | 84w x 2h x 5½d | <b>515</b>   | 18▲           |
| <b>PR96</b>                  | 96w x 2h x 5½d | <b>588</b>   | 21▲           |



|                      |           |            |    |
|----------------------|-----------|------------|----|
| <b>Display Rails</b> |           |            |    |
| <b>5780AL</b>        | 11w x 1¾h | <b>46</b>  | 1  |
| <b>5781AL</b>        | 23w x 1¾h | <b>83</b>  | 2  |
| <b>5782AL</b>        | 35w x 1¾h | <b>111</b> | 3  |
| <b>5783AL</b>        | 47w x 1¾h | <b>143</b> | 3  |
| <b>5784AL</b>        | 59w x 1¾h | <b>167</b> | 4▲ |
| <b>5785AL</b>        | 71w x 1¾h | <b>198</b> | 4▲ |
| <b>5786AL</b>        | 96w x 1¾h | <b>261</b> | 5▲ |

▲ UPS Dimensional Weight

### To Order Specify

- Quantity
- Model

### Specifications

- Finish: Natural Anodized Aluminum.
- PR Models: Extruded aluminum, 1/8" thick. Screw mount to wall. Load capacity: 15 lbs. per 48" shelf, uniformly distributed static load.
- 5780 - 5786 Models: Holds single or multiple sheets. Slide sheet under rollers to insert; release by lifting upwards. Attach with screws (not included).

© 5/2022

10



# PPP Fabric Styles & ColorCork Selections



## 1. Guilford of Maine

### Sprite Style 2671

010 Linen      030 Khaki  
020 Butter    032 Harvest  
031 Kiwi       040 Snow  
012 Sherbet

### Lido Style 2858

024 Oak Bluffs    023 Cape May  
010 Hermosa      030 Newport  
065 Bryce Canyon 031 Smith Point  
019 Balboa

### Crosstown Style 2526

010 Cement    040 Waterfront  
030 Ray       060 Fieldstone  
070 Stucco    080 Buff  
021 Graphite

To order samples, visit online sample service: <http://www.guilfordofmaine.com>

## 2. ColorCork

2186  
2187  
2209

### ColorCork Specifications

- ColorCork is made from pure, granulated cork and natural ingredients that are combined under heat and pressure to create a smooth, suede-like surface of exceptional durability.
- ColorCork is washable, tackable and reseals itself after push-pins are removed. The cork naturally inhibits bacterial growth and is environmentally friendly with no toxins or harmful by-products or emissions.
- The ColorCork surface does not crack, peel or crumble and has low light reflectance.
- Meets ASTM E-84, class B and NFPA 253, Class II.

Samples available on request via Forbo Linoleum, Inc., 800-842-7839 x 712.

## 3. COM - Customer's Own Material

Optional COM - Customer's Own Materials are available on most tackable panels.

### Shipping Instructions for COM

When ordering material, customer must have supplier of material mark the following information on the outside of the package.

1. Buyer's name.
2. Purchase Order Number to PPP.
3. Purchase Order date.
4. Work Order Number material is to cover.
5. Quantity and model number(s) material is to cover.
6. *Specify fabric direction: conventional or railroad.*

### All materials to be shipped FREIGHT PREPAID to:

Peter Pepper Products, Inc., 17929 S. Susana Road, Compton, CA 90221.

### Responsibility for COM shipments:

- We cannot be held responsible for performance of COM covering materials, nor shall we be held responsible for yields or variations in tone or weaving.
- All responsibility for COM shipments is between the buyer and the source.







# Parallel


## Horizontal Writing, Tack & Mirror Panels

Pepper Delivers Quicker!


PDQ must be on a separate order and **MUST** specify PDQ.

PDQ prices are printed in **BOLD**. Shipment within 10 business days.


Designed by David Ryan & George Simons



H4816-2N  
with MP, HS16 & 2 of H1



H3216-2 with MP, HS16 & (T) top rail extension 12" with H3.



H3216-2 with MP, HS16 & (B) bottom rail extension 12" with H3.

| Model                             | Panels | Panel Size                            | Size            | Glass, HPL, Fabric, COM, ColorCork | Upcharge Mirror (per panel) | Est. Ship Wt. |
|-----------------------------------|--------|---------------------------------------|-----------------|------------------------------------|-----------------------------|---------------|
| <b>Rails with 15" High Panels</b> |        |                                       |                 |                                    |                             |               |
| H1616-1                           | 1      | 16" w x 15" h                         | 16w x 18½h x ¾d | <b>\$ 230</b>                      | <b>\$ 49</b>                | 6             |
| H2016-1                           | 1      | 20" w x 15" h                         | 20w x 18½h x ¾d | <b>282</b>                         | <b>58</b>                   | 6             |
| H2416-1                           | 1      | 24" w x 15" h                         | 24w x 18½h x ¾d | <b>311</b>                         | <b>76</b>                   | 8             |
| H3216-1                           | 1      | 32" w x 15" h                         | 32w x 18½h x ¾d | <b>396</b>                         | <b>94</b>                   | 9             |
| H3216-2                           | 2      | 16" w x 15" h                         | 32w x 18½h x ¾d | <b>414</b>                         | <b>49</b>                   | 9             |
| H4016-2                           | 2      | 20" w x 15" h                         | 40w x 18½h x ¾d | <b>528</b>                         | <b>57</b>                   | 12            |
| H4816-2                           | 2      | 24" w x 15" h                         | 48w x 18½h x ¾d | <b>578</b>                         | <b>76</b>                   | 16            |
| H4816-3                           | 3      | 16" w x 15" h                         | 48w x 18½h x ¾d | <b>591</b>                         | <b>49</b>                   | 17            |
| H6016-3                           | 3      | 20" w x 15" h                         | 60w x 18½h x ¾d | <b>748</b>                         | <b>58</b>                   | 18            |
| H7216-3                           | 3      | 24" w x 15" h                         | 72w x 18½h x ¾d | <b>837</b>                         | <b>76</b>                   | 23            |
| H4016-2N                          | 2      | (1) 16" w x 15" h & (1) 24" w x 15" h | 40w x 18½h x ¾d | <b>507</b>                         | <b>76</b>                   | 13            |
| H4816-2N                          | 2      | (1) 16" w x 15" h & (1) 32" w x 15" h | 48w x 18½h x ¾d | <b>577</b>                         | <b>94</b>                   | 15            |
| <b>Rails with 20" High Panels</b> |        |                                       |                 |                                    |                             |               |
| H1620-1                           | 1      | 16" w x 20" h                         | 16w x 23½h x ¾d | <b>259</b>                         | <b>58</b>                   | 7             |
| H2020-1                           | 1      | 20" w x 20" h                         | 20w x 23½h x ¾d | <b>324</b>                         | <b>68</b>                   | 7             |
| H2420-1                           | 1      | 24" w x 20" h                         | 24w x 23½h x ¾d | <b>352</b>                         | <b>92</b>                   | 9             |
| H3220-1                           | 1      | 32" w x 20" h                         | 32w x 23½h x ¾d | <b>454</b>                         | <b>119</b>                  | 10            |
| H3220-2                           | 2      | 16" w x 20" h                         | 32w x 23½h x ¾d | <b>471</b>                         | <b>58</b>                   | 13            |
| H4020-2                           | 2      | 20" w x 20" h                         | 40w x 23½h x ¾d | <b>612</b>                         | <b>68</b>                   | 14            |
| H4820-2                           | 2      | 24" w x 20" h                         | 48w x 23½h x ¾d | <b>659</b>                         | <b>92</b>                   | 18            |
| H4820-3                           | 3      | 16" w x 20" h                         | 48w x 23½h x ¾d | <b>670</b>                         | <b>58</b>                   | 20            |
| H6020-3                           | 3      | 20" w x 20" h                         | 60w x 23½h x ¾d | <b>878</b>                         | <b>68</b>                   | 21            |
| H7220-3                           | 3      | 24" w x 20" h                         | 72w x 23½h x ¾d | <b>967</b>                         | <b>92</b>                   | 26            |
| H4020-2N                          | 2      | (1) 16" w x 20" h & (1) 24" w x 20" h | 40w x 23½h x ¾d | <b>572</b>                         | <b>92</b>                   | 15            |
| H4820-2N                          | 2      | (1) 16" w x 20" h & (1) 32" w x 20" h | 48w x 23½h x ¾d | <b>661</b>                         | <b>119</b>                  | 17            |

Shipped KD

| <b>Rail Extensions</b> |   |              |   |               |
|------------------------|---|--------------|---|---------------|
| Model                  | Description                                 | Size         | List  | Est. Ship Wt. |
| (T)                    | Extended Top Rail, custom length x 1¾" h    | Cut to order | <b>\$52 per ft. Price to next highest ft.</b> | 1 lb. per ft  |
| (B)                    | Extended Bottom Rail, custom length x 1¾" h | Cut to order | ..  | ..            |

| <b>Rail Accessories</b> |   |                 |               |               |
|-------------------------|---|-----------------|---------------|---------------|
| Model                   | Description                                       | Size            | List          | Est. Ship Wt. |
| MP                      | Magazine Pocket - ID 2" d at bottom, 3½" d at top | 11¼w x 12h x 4d | <b>\$ 123</b> | 3             |
| HS8                     | Shelf/Pen Rail - 8" - for Horizontal Models       | 8w x ½h x 5d    | <b>29</b>     | 1             |
| HS16                    | Shelf - 16" - for Horizontal Models               | 16w x ½h x 5d   | <b>45</b>     | 3             |
| HS20                    | Shelf - 20" - for Horizontal Models               | 20w x ½h x 5d   | <b>58</b>     | 4             |
| H1                      | Single Hook                                       | 7/8w x 1¼h x 2d | <b>56</b>     | 1             |
| H3                      | Triple Hook                                       | 6w x 1¼h x 2d   | <b>118</b>    | 1             |

### Specifications & Ordering Information (See page 160.)

© 5/2022

10





# Parallel


## Vertical Writing, Tack & Mirror Panels

Pepper Delivers Quicker!


PDQ must be on a separate order and **MUST** specify PDQ.

PDQ prices are printed in **BOLD**. Shipment within 10 business days.


Designed by David Ryan & George Simons



V1616-1  
with VS20



V1640-2N  
with VS20



V2016-1  
with VS24

| Model                             | Panels                             | Panel Size                            | Size               | Glass, HPL, Fabric, COM, ColorCork | Upcharge Mirror (per panel) | Est. Ship Wt. |
|-----------------------------------|------------------------------------|---------------------------------------|--------------------|------------------------------------|-----------------------------|---------------|
| <b>Rails with 15" Wide Panels</b> |                                    |                                       |                    |                                    |                             |               |
| V1616-1                           | 1                                  | 15" w x 16" h                         | 18½ w x 16 h x ¾ d | \$ 230                             | \$ 49                       | 6             |
| V1620-1                           | 1                                  | 15" w x 20" h                         | 18½ w x 20 h x ¾ d | 282                                | 58                          | 6             |
| V1624-1                           | 1                                  | 15" w x 24" h                         | 18½ w x 24 h x ¾ d | 311                                | 76                          | 8             |
| V1632-1                           | 1                                  | 15" w x 32" h                         | 18½ w x 32 h x ¾ d | 396                                | 94                          | 9             |
| V1632-2                           | 2                                  | 15" w x 16" h                         | 18½ w x 32 h x ¾ d | 414                                | 49                          | 11            |
| V1640-2                           | 2                                  | 15" w x 20" h                         | 18½ w x 40 h x ¾ d | 528                                | 58                          | 12            |
| V1640-2N                          | 2                                  | (1) 15" w x 16" h & (1) 15" w x 24" h | 18½ w x 40 h x ¾ d | 507                                | 76                          | 13            |
| <b>Rails with 20" Wide Panels</b> |                                    |                                       |                    |                                    |                             |               |
| V2016-1                           | 1                                  | 20" w x 16" h                         | 23½ w x 16 h x ¾ d | 259                                | 58                          | 7             |
| V2020-1                           | 1                                  | 20" w x 20" h                         | 23½ w x 20 h x ¾ d | 324                                | 68                          | 7             |
| V2024-1                           | 1                                  | 20" w x 24" h                         | 23½ w x 24 h x ¾ d | 352                                | 92                          | 9             |
| V2032-1                           | 1                                  | 20" w x 32" h                         | 23½ w x 32 h x ¾ d | 454                                | 119                         | 10            |
| V2032-2                           | 2                                  | 20" w x 16" h                         | 23½ w x 32 h x ¾ d | 471                                | 58                          | 13            |
| V2040-2                           | 2                                  | 20" w x 20" h                         | 23½ w x 40 h x ¾ d | 612                                | 68                          | 14            |
| V2040-2N                          | 2                                  | (1) 20" w x 16" h & (1) 20" w x 24" h | 23½ w x 40 h x ¾ d | 572                                | 92                          | 15            |
| Shipped KD                        |                                    |                                       |                    |                                    |                             |               |
| <b>Rail Accessories</b>           |                                    |                                       |                    |                                    |                             |               |
| Model                             | Description                        | Size                                  | List               | Est. Ship Wt.                      |                             |               |
| VS20                              | Shelf - 18½" - for Vertical Models | 18½ w x ½ h x 2¼ d                    | \$ 58              | 3                                  |                             |               |
| VS24                              | Shelf - 23½" - for Vertical Models | 23½ w x ½ h x 2¼ d                    | 68                 | 3                                  |                             |               |
| HL                                | Left Hook for Vertical Models      |                                       | 65                 | 1                                  |                             |               |
| HR                                | Right Hook for Vertical Models     |                                       | 65                 | 1                                  |                             |               |

### To Order Specify

|                                   |  |  |  |
|-----------------------------------|--|--|--|
| 1. Quantity                       | <b>Panel Type</b><br>HPL<br>Glass Marker Board<br>Mirror<br>Fabric Tack Board<br>ColorCork - <i>For specifications, see page 158</i> | <b>ColorCork</b><br>2186<br>2187<br>2209 | <b>Fabric Selection - see page 158</b><br>Guilford of Maine<br>Sprite Style 2671<br>Lido Style 2858<br>Crosstown Style 2526<br>COM: Customer's Own Material<br>Page 158 for shipping information |
| 2. Rail Model                     |  |  |  |
| 3. Panel(s): Width, Type & Finish |  |  |  |
| 4. Quantity and Model(s)          |  |  |  |
| 5. Model, Length in Inches        |  |  |  |
| <i>See PPP Color Card or Web</i>  |  |  |  |

### Specifications

- Parallel is available in horizontal and vertical configurations, with multiple panel and accessory options.
- Shelf, hooks and magazine/chart packets can be located anywhere on rail, secured with set-screw.
- Rails: 1¾" h x ¾" d, shelf, hooks and panel dividers are Natural Anodized Aluminum.
- Magazine/Chart pocket in Aluminum Metallic. Front panel: 10" h.
- End caps, injection molded polycarbonate.
- Glass marker board, ⅛" thick tempered glass with flat polished edge.
- HPL writing surface is a high pressure laminate, non-magnetic.
- Both Glass and HPL writing boards include 4 dry erase markers and eraser.
- Mirror, ⅛" thick glass laminated to .125 substrate.
- Fabric or COM laminated to lightweight tackable core.
- ColorCork: Washable, tackable surface which reseals itself after pins are removed. Ideal for clean room environments.
- Custom sizes and configurations available. Please submit your requirements.
- Parallel is shipped KD, assembly required, hardware included.

